

**VELUX®**

# Blinds and shutters

Republic of Ireland Price List (Includes VAT)

Valid from 2<sup>nd</sup> February 2026

[veluxshop.ie](http://veluxshop.ie)



# Blinds and shutters

## Contact us

If you need more information or technical support, we are here to help.

Telephone: 01 816 1620  
E-mail: sales@velux.ie

Website: velux.ie

<b>Transforming spaces</b>	Page 4
<b>Why VELUX</b>	Page 6
<b>Discover our timeless collection</b>	Page 8
<b>Combine products for all-year round comfort</b>	Page 10
<b>Select your level of comfort</b>	Page 14
<b>Shutters and blinds selection guide</b>	Page 16
<b>Solar and electric control options</b>	Page 20
<b>Installing blinds and shutters</b>	Page 22
<b>Exterior Heat Protection</b>	Page 24
<b>Heat protection and blackout</b>	Page 25
Anti-heat blackout shutter Anti-heat blackout blind	
<b>Heat protection and transparency</b>	Page 27
Anti-heat blinds	
<b>Interior Light Control</b>	Page 28
<b>Block out the light</b>	Page 30
Blackout roller blinds Duo blackout roller blinds Blackout energy pleated blinds	
<b>Light filtering and privacy</b>	Page 40
Translucent roller blinds Translucent pleated blinds Venetian blinds	
<b>Keep insects out</b>	Page 45
Insect screens	
<b>Blinds and insect screens for flat roof windows</b>	Page 46
<b>Order your new VELUX blind or shutter</b>	Page 50

# Transforming spaces into favourite places

We all seek spaces where we can truly relax, recharge and feel at ease – or even boost our productivity. More often than not, these favourite places are bathed in natural daylight and fresh air.

For over 80 years, the VELUX Group has helped people reimagine their homes by bringing daylight and fresh air through the roof, creating brighter, healthier environments to live, work, learn and play. It's all part of our mission to improve everyday life for people around the world.

Our award-winning roof windows can fit any roof – flat, pitched, old or new and can be accessorised with VELUX blinds and shutters.

VELUX solutions do more than brighten interiors – they help us create a connection with nature and a space to relax and enjoy. These spaces then become the backdrop for meaningful everyday moments: sharing laughter, bedtime stories or simply enjoying a peaceful pause.

Small, often overlooked pleasures, like these, are what truly make a house feel like home – reminding us of what it means to let life in.



## At VELUX® we prioritise sustainability

At the VELUX Group, we continually integrate sustainability into our decision-making, operations and solutions.

**The first and only roof window company in the world rated platinum by EcoVadis**

We are proud to be the only roof window company in the top 1% of organisations ranked globally by EcoVadis. The platinum sustainability rating reflects our commitment to integrating more sustainable practices throughout our organisation.



**97% of VELUX packaging in Europe was plastic-free in 2024\***

As of 2024, 97% of our primary packaging in Europe was paper-based and recyclable. Globally, we continue to eliminate plastic packaging from our products, making it easier for you to recycle and minimising the impact on the planet.

\* In 2024, 97% of Residential primary packaging in Europe was paper-based.

**96% of our products have an Environmental Product Declaration\*\***

With more transparency over the environmental impact of our products, you can make more informed decisions about most VELUX products.

\*\* Roof windows, flashings and installation products, excluding copper and zinc variants.




# Why VELUX

Your VELUX roof windows deserve original blinds and shutters, for a perfect fit, beautiful design and long-lasting performance.

## 1

### Designed and tested for daily life

All VELUX products are **designed and tested for real life**. Our blinds are drawn thousands of times and exposed to extreme heat. Our shutters endure relentless battles with sun, wind, rain and snow. We pull, tug and squeeze the material to ensure your product retains its colour and shape through years of use. Then, when we are happy with the design, our European factories start production.



## 2

### Easy to install and use

Original VELUX blinds and shutters are **tailor-made for your VELUX roof windows**. This means they always fit perfectly and are easy to install – with no measuring or cutting. The elegant and slim frame design **ensures a perfect looking result**, making the blind almost invisible when not in use.

## 3

### Your colours for your home

Enjoy an extensive choice of blind and shutter types in all styles and colours. You can even create your own customised blind with our **Colour by You** collection. All with a choice of white or brushed aluminium side rails.



## 4

### For safety and sustainability

VELUX blinds have **child-safe cordless designs** to ensure safety in your home. And all our interior blinds are certified with OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard and OEKO-TEX® STeP (22002567) – Responsible production for people and planet. VELUX Anti-heat blackout shutters offer dual functionality, protecting your room from overheating while actively deterring break-ins.



# Discover our timeless collection



From classic to trendy, from light dimming to complete blackout, the VELUX blind collection features stylish colours, subtle patterns and a range of features to match all room types.

The VELUX blind collection is developed in partnership with leading international trend experts. Choose from a large variety of fabrics and colours in classic or more modern designs.

We offer three different **roller blinds** with flat fabrics, two types of **pleated blinds**, as well as our classic **Venetian blinds**. All varieties come in a range of colours

for you to mix or match by choosing different or similar colours across your rooms and blind types.

Your choice of blind depends entirely on your personal style, the room type, and whether you are looking to create a complete blackout or light filtering effects. Explore the following pages for more inspiration.

  
Order free  
fabric samples

[veluxshop.ie/sample](https://veluxshop.ie/sample)

#### Customise the colour of your blind

If you cannot find the exact colour to match your taste or interiors, the Colour by You collection gives you thousands of additional colours to choose from.

Read more on page 36 or at [veluxshop.ie/colour](https://veluxshop.ie/colour)



#### Blackout or translucent blinds?

**Blackout blinds** will block any incoming light, making them a preferred choice for bedrooms and children's rooms where darkness is needed for a good night's sleep.

**Translucent blinds** allow soft, diffused light to enter the room while effectively reducing glare. They are suitable for various spaces, including living rooms, home offices, and game rooms.



#### Clean all white look

VELUX blinds are available with high-quality side rails in your choice of either brushed or white-painted aluminium.

Brushed aluminium works exceptionally well with our lacquered wood-finish roof windows while the white painted rails become almost invisible when paired with white VELUX roof windows. Furthermore, thanks to their UV-protection, the bright white will stay unaffected by sunlight.

The side rails are easy to install and designed to complement your VELUX roof windows beautifully.

# Optimal light and climate control for all year round comfort

VELUX roof windows fill your home with daylight and fresh air. Having the right weather and sun protection also ensures a pleasant indoor climate and helps save energy.

## Exterior weather and heat protection

Choose Anti-heat blinds and shutters to create a shield between the sun's rays and the roof windows to prevent direct sunlight from entering the home. Rain noise is also significantly reduced.

More information from page 24.

## Interior light control

Choose interior blinds to complement a room, soften incoming light or provide privacy – or blackout to ensure a good night's sleep or a daytime nap. In the colder months, they will help to keep the room warm and create a cosy atmosphere.

More information from page 28.

## Anti-heat blackout shutter + Blackout energy pleated blind

Up to 5°C\* cooler in summer + heat energy savings in winter.

## Add Insect screens to enjoy fresh air without unwanted visitors

More information from page 45.

\* Data from a simulated south-facing room with two VELUX GGU 70 roof windows in size MK06 (78.0 x 117.8cm), July – August 2023, recorded in London. Based on a study by VELUX 2023 on the effects of accessories in summer.



Interior light control


Exterior weather and heat protection

# Combine interior and exterior blinds


Find your perfect pairing with a manual interior blind and exterior Anti-heat blind.

- Combine a manual interior blind and exterior Anti-heat blind and enjoy double the benefit, for less.
- Interior blinds are available in 4 standard colours and in 2 side rail options – white or brushed aluminium.
- The manual Anti-heat blind comes with simple-to-handle hook fixing for positioning on the outside of your roof window.
- Transparent fabric lets in light and retains the view to the outside.
- Easy self-installation from the inside.


Buy your interior and exterior blind together and save 10%




**Heat protection plus blackout (DOP)\***  
Anti-heat blind + Blackout roller blind



**Heat protection plus blackout and insulation (FOP)\***  
Anti-heat blind + Blackout energy pleated blind



**Heat protection plus light dimming (ROF)\***  
Anti-heat blind + Translucent roller blind



**Heat protection plus light dimming (FOL)\***  
Anti-heat blind + Translucent pleated blind

Colour options

1025	1100
1085	0705
1045	1163
1047	1156
1028	9050
1086	4161
1016	1274
1259	1282

\* DOP, ROF, FOP and FOL: Are not suitable for GGU, GPU white maintenance-free roof windows with a 3-digit reference number (eg GGU 304), or for GGLS roof windows.



☀ Interior blind for light control  
See more on page 28.

🔒 Exterior blind for heat protection  
See more on page 24.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08		
															Sizes (w×h) cm	
	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Manual operation	DOP	K sizes, e.g. MK04	188.19	188.19	194.34	202.95	227.55	230.01	238.62	247.23	265.68	284.13	292.74	302.58	321.03	345.63
	DOP	Non K sizes, e.g. M04	178.35	178.35	183.27	194.34	215.25	218.94	227.55	233.70	253.38	268.14	276.75	290.28	305.04	327.18
	FOP		214.02	214.02	222.63	236.16	260.76	263.22	276.75	285.36	306.27	328.41	339.48	349.32	367.77	398.52
	ROF		188.19	188.19	194.34	202.95	227.55	230.01	238.62	247.23	265.68	284.13	292.74	302.58	321.03	345.63
	FOL		200.49	200.49	210.33	221.40	243.54	247.23	255.84	265.68	286.59	306.27	314.88	327.18	345.63	371.46

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)  
Price shown is incl. VAT.

# Select your level of comfort

## From manual to fully automated blinds and shutters



Enjoy seamless remote control with VELUX solar and electric blinds and shutters



Upgrade your solar and electric blinds and shutters with VELUX remotes and apps for fully automated heat protection

### Manual operation

#### Simple hands-on solution

Your manual VELUX blinds come with a clever and discreet control bar that lets you adjust the blind comfortably.

The blind runs smoothly and can be positioned anywhere on the roof window.

### Electrical product operation

#### Smarter controls with solar and electric blinds and shutters

Choose VELUX solar and electric blinds and shutters to simplify your home living. These products come with a ready-to-use wall switch for remote operation and they can easily be upgraded with a range of remotes and apps to cover everyone's needs.

Select VELUX solar blinds and shutters for your manual or solar roof window. Installation is easy because there's no need to run cables.

Select VELUX electric blinds and shutters for your electric roof windows.

### Remotes and apps

#### Take care of your indoor climate

Unlock the full potential of your solar and electric blinds and shutters with VELUX remotes and apps.

VELUX Touch makes it easy to control multiple VELUX solar and electric roof windows, blinds and shutters, with no dependency on Wi-Fi.

VELUX App Control lets you control your VELUX solar and electric products right from your smartphone – at home or on the go.

VELUX ACTIVE with NETATMO automatically improves your indoor climate and offers seamless control of your VELUX solar and electric products by smartphone or voice commands. To shield your home from excessive heat, you can simply let the system rely on the built-in indoor climate sensors and live weather forecast for automatic operation of your Anti-heat blinds and shutters.

See more on the page 20 or at [velux.ie/smarthome](https://velux.ie/smarthome)

# Blinds and shutters selection guide

Find the ideal solution that protects from the outdoor elements and controls heat and light inside.

		Operation			Function								
		More info	Solar	Electric	Manual	Heat protection	Blackout	Insulation	Light filtering	Privacy	Noise reduction	Burglary prevention	
<b>Exterior heat protection</b>													
	<b>Anti-heat blackout shutter</b> Enjoy superior heat protection, blackout and insulation all year round.	page 25	SSL	SML / SMH	-	●●●●	●●●●	●●	-	●●●●	●●●	●●●	
	<b>Anti-heat blackout blind</b> Effective heat protection and blackout for comfort day and night.	page 26	SSS	-	-	●●●●	●●●	●	-	●●●●	●●●	-	
	<b>Anti-heat blind</b> Offers heat protection whilst still allowing light in and retaining your view to the outside.	page 27	MSL	MML	MHL	●●●	-	-	●●●	●●	●●●	-	
<b>Interior light control</b>													
	<b>Blackout roller blind</b> Sleep well day or night. The ideal solution to darken the room.	page 30	DSL	DML	DKL	●	●●●●	●●	-	●●●●	-	-	
	<b>Duo blackout roller blind</b> Two blinds in one: a blackout blind for a good night's sleep and a pleated blind to diffuse light and increase privacy.	page 32	-	-	DFD	●	●●●●	●●	●●●●	●●●●	-	-	
	<b>Blackout energy pleated blind</b> Perfect for bedrooms that need blackout at night and extra insulation against the cold.	page 38	FSC	FMC	FHC	●	●●●●	●●●	-	●●●●	-	-	
	<b>Basic blackout blind</b> Provides a blackout effect. Ideal for replacing an old blind with a cost-effective solution. Only compatible with roof windows manufactured before 2014.	page 33	-	-	DBL	●	●●●	●	-	●●●●	-	-	
	<b>Translucent roller blind</b> Offers privacy whilst still allowing natural light in.	page 40	RSL	RML	RFL	-	-	-	●●●●	●●●	-	-	
	<b>Translucent pleated blind</b> Provides an excellent way to control daylight and add a decorative touch.	page 42	FSL	FML	FHL	-	-	-	●●●●	●●●	-	-	
	<b>Venetian blind</b> A classic, moisture-resistant light-dimming and privacy solution that's easy to clean.	page 44	-	-	PAL	●	●	-	●●●	●●●	-	-	

● Good   ●● Very good   ●●● Excellent   ●●●● Best

# More flexible and intuitive than ever before

Our solar and electric blinds range can be easily operated remotely or manually via a slider, positioned directly on the product.

## The design offers a number of product benefits:

### Optimised design

The slimmer profile along the bottom of the blind integrates seamlessly with the roof window, providing an unobstructed view and maximum daylight.

### Quieter motor

Regardless of operation, the motor runs almost without sound.

### A solution to suit everyone

Available in a wide range of colours and fabrics including blackout, energy pleated and translucent.

### Even longer guarantee

Comes with an extended guarantee of 5 years.



**Unique design**  
Available in a wide range of colours.

**Slimmer profile**  
Lets in maximum daylight.


**Multiple operation**  
Operate remotely or manually via the slider.

# Easy control options for your VELUX solar and electric products

Operate all your solar and electric roof windows, blinds and shutters with either a remote or an app.

## Remotes

Included with all solar and electric products\*



**Basic wall switch**  
VELUX Wall switch  
KLI 311/312/313

## Smartphone control



**VELUX App**  
VELUX App Control  
KIG 300



**VELUX App with sensor**  
VELUX ACTIVE with NETATMO  
KIX 300

	Basic wall switch VELUX Wall switch KLI 311/312/313	Multiple product switch VELUX Touch KLR 300	VELUX App VELUX App Control KIG 300	VELUX App with sensor VELUX ACTIVE with NETATMO KIX 300
Open/stop/close function	✓	✓	✓	✓
No WiFi needed	✓	✓		
Quick in-room access to key functions		✓		
Control multiple roof windows, blinds and shutters		✓	✓	✓
Ventilation timer		✓	✓	✓
Grouping of products for different rooms			✓	✓
Schedules for daily routines			✓	✓
Voice control			✓	✓
Measurement of temperature, CO <sub>2</sub> and humidity				✓
Automatic ventilation and heat protection			✓	✓
Indoor air quality overview				✓
Price		159.90	129.15	263.22

\* VELUX wall switch is included with every purchase of any solar or electric product. Additional purchases can be made for a more advanced control solution.

All prices in EUR (€)  
Price shown is incl. VAT.

Scan below to learn more about the range of control options



## Multiple product switch

### VELUX Touch

VELUX Touch is a multiple product switch that makes it easy to operate solar and electric roof windows, blinds and shutters. Control ventilation, block sunlight or close blinds with one master switch.



## VELUX App

### VELUX App Control

VELUX App Control is an app that makes it possible to operate all VELUX solar and electric products from a smartphone, enabling easy operation of roof windows, blinds and shutters.



## VELUX App with sensor

### VELUX ACTIVE with NETATMO

VELUX ACTIVE is an app with a sensor that can be used to operate all solar and electric products from a smartphone. It uses indoor climate sensors to monitor temperature, CO<sub>2</sub> and humidity in the home.

# Installing blinds and shutters is easier than you think

## Interior light control

### Install original VELUX blinds in 15 minutes

Installing VELUX blinds requires no measuring, trimming, cutting or extra tools. They are made for a perfect fit and everything needed is included in the package.

### No need to measure

Find the roof window's type and size on the window frame – see how on page 50. Then you can be sure that the new blind fits the roof window perfectly without having to take any measurements.

### No need to cut or trim – it just clicks

VELUX roof windows have pre-installed brackets for the blinds. Simply click on the original VELUX blind and add the tailored side rails.

### Easily replace old blinds with new ones

It is straightforward to replace old blinds with new ones from VELUX. Everything needed is included in the package.



## Exterior heat protection

### Easy installation from inside.

VELUX Anti-heat blinds and shutters are designed for quick and convenient installation from inside your home, no need to climb onto the roof. Step-by-step instructions make installation straightforward and hassle-free. If you are a DIY enthusiast with a bit of technical confidence, you might even prefer to install it yourself.

### Perfect fit.

VELUX exterior heat protection products are available in a wide range of roof window sizes, ensuring seamless integration and optimal performance. Enjoy effortless installation and a perfect finish, every time.

### Solar powered – no wiring is needed.

For those with a do-it-yourself mindset, our solar Anti-heat blind and Anti-heat blackout blinds can be installed from inside the room without the need for any wiring. Daylight powers the integrated solar cell, allowing for operation via a wireless wall switch, thereby providing optimal convenience.

# Outdoor protection, indoor comfort all year round

Our wide range of VELUX exterior Anti-heat products helps protect your home from overheating in the summer and provides extra insulation on cold days, keeping your indoor temperature comfortable. Our solar products use daylight energy as their power source, eliminating the need for wiring and offering a seamless installation from inside the room.

## All year round temperature control

Create a shield between the sun's rays and your roof windows to prevent the direct sunlight from entering your home. This helps to keep the indoor temperature cooler, reducing the need for air conditioning and lowering energy costs. In colder months, shutters provide an additional shield from the outside to keep the warmth in.

## Durability and longevity

Crafted from high-quality materials, our Anti-heat blinds and shutters are designed to withstand the harshest weather conditions, while maintaining their functionality and visual appeal for years to come.

## Easy installation

Designed to seamlessly match your VELUX roof windows, our products offer a hassle-free installation. With installation taking place from inside the room, you'll have your new Anti-heat blinds or shutters up in no time!

Discover the exterior blind or shutter that best meets the needs of your home.

## Anti-heat blackout shutter

Heat protection, blackout and insulation

See more on page 25.



Heat protection	● ● ● ●
Blackout	● ● ● ●
Insulation	● ●
Daylight exposure	
Burglary prevention	● ● ●
Weather protection	● ● ● ●

## Anti-heat blackout blind

Heat protection and blackout

See more on page 26.



Heat protection	● ● ● ●
Blackout	● ● ● ●
Insulation	●
Daylight exposure	
Burglary prevention	
Weather protection	● ●

## Anti-heat blind

Heat protection and transparency



See more on page 27.



Heat protection	● ● ● ●
Blackout	
Insulation	
Daylight exposure	● ● ●
Burglary prevention	
Weather protection	●



Up to 5°C cooler inside\*



Aluminium profiles: 0000

## Indoor climate

Heat protection, blackout and insulation all year round.

Heat protection	● ● ● ●
Blackout	● ● ● ●
Insulation	● ●
Daylight exposure	
Burglary prevention	● ● ●
Weather protection	● ● ● ●

## Remotes and Apps

Easily control your VELUX solar and electric products with our remote controls or apps.

Read more on page 20.

# Anti-heat blackout shutter

Take full control of your indoor comfort with the superior heat protection and blackout offered by the VELUX Anti-heat blackout shutter. The ideal choice for year-round use, the sturdy aluminium shield exterior offers the very best outdoor protection.

- All-weather protection.
- Best heat protection and sun screening.

- Excellent blackout.
- Provides an additional shield from the outside to keep the warmth in the room during colder months.
- Rain noise reduction.
- Effective protection of roof window and against break-ins.
- Can be combined with a decorative interior blind and an Insect screen.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
	□	□	□	□	□	□	□	□	□	□	□	□	□	□
Solar SSL	730.62	730.62	779.82	804.42	838.86	829.02	870.84	920.04	895.44	996.30	1,045.50	1,011.06	1,003.68	1,168.50
Electric SML	548.58	548.58	585.48	605.16	629.76	624.84	654.36	691.26	674.04	747.84	784.74	760.14	755.22	878.22
Electric SMH**	-	-	-	-	880.68	-	917.58	969.24	-	1,047.96	-	1,065.18	-	-

KUX 110 control system is needed if you install an SML into a manually operated VELUX roof window. SSL and SML can be installed on roof windows one above the other, at least 25cm apart and SMH at least 30cm apart and on roof windows next to each other at least 10cm apart.

\* Data from a simulated south-facing room with two VELUX GGU 70 roof windows in size MK06 (78.0 x 117.8cm), July - August 2023, recorded in London. Based on a study by VELUX 2023 on the effects of accessories in summer.


\*\* SMH is designed for VELUX electric top-hung roof windows.

\*\*\* For installation on solar-powered roof windows size F one (or two) dual solar switch(es) ZOZ 246 must be added - read more on page 51.

All prices in EUR (€)  
Price shown is incl. VAT.  
Find EPDs at veluxie/technical-library



Up to 5°C cooler inside\*



Solid blackout fabric 0000

### Indoor climate

- Heat protection and blackout all year round.

	Heat protection	● ● ● ●
	Blackout	● ● ●
	Insulation	●
	Daylight exposure	
	Burglary prevention	
	Weather protection	● ●

### Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps.

Read more on page 20.

## Anti-heat blackout blind

Beat the heat with this effective combination. VELUX Anti-heat blackout blinds block heat and light and are ideal for those who want to keep comfortable indoors on hot days and sleep better on warm nights. Solar powered and easy to install with no need for wiring.

- Effective combination.
- Great heat protection.
- Blocks out light.
- Rain noise reduction.
- Tough, durable polyester fabric.
- Easy self-installation from inside the room.
- Can be combined with a decorative interior blind and an Insect screen.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Solar SSS**	437.88	437.88	469.86	484.62	504.30	499.38	523.98	553.50	538.74	597.78	629.76	607.62	602.70	703.56

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed.

For VELUX electric top-hung roof windows, a ZOZ 229S kit set is needed.


\* Data from a simulated south-facing room with two VELUX GGU 70 roof windows in size MK06 (78.0 x 117.8cm), July – August 2023, recorded in London. Based on a study by VELUX 2023 on the effects of accessories in summer.

\*\* For installation on solar-powered roof windows size C or F one (or two) dual solar switch(es) ZOZ 246 must be added – read more on page 51.

All prices in EUR (€)  
Price shown is incl. VAT.  
Find EPDs at [velux.ie/technical-library](http://velux.ie/technical-library)



Up to 4°C cooler inside\*



Transparent fabric 5060

### Indoor climate

- Heat protection and transparency all year round.

	Heat protection	● ● ●
	Blackout	
	Insulation	
	Daylight exposure	● ● ●
	Burglary prevention	
	Weather protection	●

### Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps.

Read more on page 20.

## Anti-heat blind

Keep your indoors cool and comfortable with VELUX Anti-heat blinds that block incoming heat before it ever hits your VELUX roof windows. The ideal choice for home offices or living rooms where you want cooler temperatures and to reduce glare on sunny days.

- Effective heat reduction.
- Transparent fabric lets in light and retains the view to the outside.
- Rain noise reduction.
- Easy self-installation from inside the room.
- Can be combined with a decorative interior blind and an Insect screen.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Solar MSL**	356.70	356.70	381.30	393.60	408.36	405.90	425.58	450.18	437.88	487.08	511.68	494.46	489.54	570.72
Electric MML	356.70	356.70	381.30	393.60	408.36	405.90	425.58	450.18	437.88	487.08	511.68	494.46	489.54	570.72
Manual MHL	105.78	105.78	105.78	105.78	123.00	130.38	130.38	130.38	152.52	152.52	152.52	169.74	184.50	184.50

For old VELUX roof window generations (VES), a ZOZ 238 installation kit set is needed.

For VELUX electric top-hung roof windows, a ZOZ 229S kit set is needed.

KUX 110 control system is needed if you install an MML into a manually operated VELUX roof window.

\* Data from a simulated south-facing room with two VELUX GGU 70 roof windows in size MK06 (78.0 x 117.8cm), July – August 2023, recorded in London. Based on a study by VELUX 2023 on the effects of accessories in summer.

\*\* For installation on solar-powered roof windows size C or F one (or two) dual solar switch(es) ZOZ 246 must be added – read more on page 51.

All prices in EUR (€)  
Price shown is incl. VAT.  
Find EPDs at [velux.ie/technical-library](http://velux.ie/technical-library)

CO<sub>2</sub> reduced with recycled materials\*




Translucent roller blind RFY



Blackout roller blind DKY


## Colour options

### Blackout roller blind DKY



Forest  
4901

Marsh  
4902



Lake  
4903


Cave  
4904

### Translucent roller blind RFY



Clouds  
4951

Dunes  
4952



Woods  
4953

Cliffs  
4954

## Nature collection

For design and environmentally-conscious consumers, our Nature collection roller blinds come in a range of colours that allow you to bring the peace and tranquility of nature directly into your home. The blinds are made from a minimum 50% recycled fabric and 75% recycled aluminium and have a lower carbon footprint than the standard option. All with a 50% lower carbon footprint during production compared to ordinary VELUX blinds.

### Blackout roller blind DKY

- Excellent blackout to darken the room.

### Translucent roller blind RFY

- Softens incoming light and provides privacy.

### Blackout roller blind DKY and Translucent roller blind RFY

- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

## ✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

## Certifications

- OEKO-TEX® STANDARD 100 (2276-378) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet
- Our products hold verified EPD certificates complying with the European Standard EN 15804+A2



Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140	
Manual operation	DKY	118.08	118.08	127.92	140.22	147.60	145.14	154.98	164.82	164.82	186.96	196.80	194.34	199.26	228.78
	RFY	118.08	118.08	127.92	140.22	147.60	145.14	154.98	164.82	164.82	186.96	196.80	194.34	199.26	228.78


To order the blind with white side rails, simply add WL to the end of your product code.  
\* The blinds are made from minimum 50% recycled fabric, minimum 75% recycled aluminium and come in 100% plastic-free packaging.

All prices in EUR (€)  
Price shown is incl. VAT  
Find EPDs at [velux.ie/technical-library](http://velux.ie/technical-library)




## Colour options

### Standard colours



### Trend colours



### ✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

### 📶 Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

### Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

## Blackout roller blind

The VELUX Blackout roller blind offers blackout for darkness anytime, ideal for bedrooms to ensure a good night's sleep or a daytime nap.

- Excellent blackout.
- Upgrade to a solar or electric blind to enjoy complete light-control at your fingertips.
- Available with white or brushed aluminium side rails.
- Combine your manual blind with an Anti-heat blind and save 10%. Read more on page 12.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08	
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140	
		□	□	□	□	□	□	□	□	□	□	□	□	□	□	
Solar DSL	Standard	260.76	260.76	268.14	277.98	287.82	282.90	292.74	302.58	300.12	319.80	329.64	324.72	329.64	356.70	
	Trend	275.52	275.52	285.36	297.66	305.04	302.58	312.42	322.26	322.26	344.40	354.24	351.78	356.70	386.22	
Electric DML	Standard	260.76	260.76	268.14	277.98	287.82	282.90	292.74	302.58	300.12	319.80	329.64	324.72	329.64	356.70	
	Trend	275.52	275.52	285.36	297.66	305.04	302.58	312.42	322.26	322.26	344.40	354.24	351.78	356.70	386.22	
Manual DKL	Standard	K sizes, e.g. MK04	103.32	103.32	110.70	120.54	130.38	125.46	135.30	145.14	142.68	162.36	172.20	167.28	172.20	199.26
	Trend	K sizes, e.g. MK04	118.08	118.08	127.92	140.22	147.60	145.14	154.98	164.82	164.82	186.96	196.80	194.34	199.26	228.78
	Standard	Non K sizes, e.g. M04	93.48	93.48	98.40	110.70	115.62	113.16	123.00	130.38	127.92	145.14	154.98	152.52	154.98	179.58
	Trend	Non K sizes, e.g. M04	105.78	105.78	113.16	125.46	132.84	130.38	140.22	150.06	147.60	167.28	177.12	174.66	179.58	204.18

KUX 110 control system is needed if you install an DML into a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.


All prices in EUR (€)  
Price shown is incl. VAT.






### Colour options

#### Standard colours



#### Trend colours



### ✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

### Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

## Duo blackout roller blind

VELUX Duo blackout roller blind is a blackout roller and a translucent pleated blind in one. It offers the best of both worlds – blackout at night and softly diffused light during the day.

- Two ways to control light in one solution – excellent blackout to darken the room or soften incoming light.
- Choose any colour Blackout roller blind combined with a white pleated blind.
- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140	
	Standard	132.84	132.84	142.68	157.44	167.28	162.36	177.12	186.96	186.96	211.56	223.86	218.94	223.86	258.30
	Trend	154.98	154.98	164.82	182.04	194.34	186.96	201.72	216.48	214.02	241.08	255.84	250.92	258.30	295.20


To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)  
Price shown is incl. VAT.



### Colour options

#### Standard colours



### ✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

### Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

## Basic blackout blind

The VELUX Basic blackout blind is a good alternative for roof windows manufactured before 2014. It is an ideal solution if you simply want to replace your old blind with a cost-effective solution.


- Blackout effect.
- Stepless positioning.
- Only available for VELUX roof windows manufactured before 2014.
- Available in 4 colours and comes with a 2-year guarantee.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.

Most sold window sizes	C02	C04	F06	M04	M06	M08	P08	S06	U04	U08		
Sizes (w×h) cm	55×78	55×98	66×118	78×98	78×118	78×140	94×140	114×118	134×98	134×140		
	Manual operation	DBL	68.88	68.88	81.18	78.72	86.10	91.02	100.86	105.78	108.24	125.46

All prices in EUR (€)  
Price shown is incl. VAT.



### Colour options



## Children's collection

The greatest adventures start with a good night's sleep. VELUX Children's collection blinds feature inspirational and cheerful designs made for kids' rooms. Available as a Blackout blind or as a Duo blackout blind that combines blackout and light dimming in one solution.

### Blackout roller blind DKL

- Excellent blackout to darken the room.

### Duo blackout roller blind DFD

- Two ways to control light in one solution – blackout the room completely or soften incoming light.
- Choose any Children's collection Blackout roller blind combined with a white pleated blind.

### Blackout roller blind DKL and Duo blackout roller blind DFD

- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

### ✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

### Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

Most sold window sizes			CK02	CK04	CK06	FK06	MK04	MK06	MK08	PK04	PK08	PK10	SK06	UK04	UK08
			C02	C04	C06	F06	M04	M06	M08	P04	P08	P10	S06	U04	U08
Sizes (w×h) cm			55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
	DKL	K sizes, e.g. MK04	118.08	127.92	140.22	147.60	145.14	154.98	164.82	164.82	186.96	196.80	194.34	199.26	228.78
	DKL	Non K sizes, e.g. M04	105.78	113.16	125.46	132.84	130.38	140.22	150.06	147.60	167.28	177.12	174.66	179.58	204.18
	DFD		154.98	164.82	182.04	194.34	186.96	201.72	216.48	214.02	241.08	255.84	250.92	258.30	295.20

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)  
Price shown is incl. VAT.



Customise your roller blinds to match your interior and reflect your personal style



## Colour by You

The Colour by You collection lets you customise your roller blinds. Choose from thousands of colours to create the look that you've been dreaming of. Get inspired by trying the colour selection tool at [veluxshop.ie](http://veluxshop.ie) and start customising your blinds today.

- Available for Translucent roller blind (RFL, RML, RSL), Blackout roller blind (DKL, DML, DSL) and Duo blackout roller blind (DFD). All with a choice of white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

### ✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

### 🏠 Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

### Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
Solar	RSL	275.52	275.52	285.36	297.66	305.04	302.58	312.42	322.26	322.26	344.40	354.24	351.78	356.70	386.22
	DSL	275.52	275.52	285.36	297.66	305.04	302.58	312.42	322.26	322.26	344.40	354.24	351.78	356.70	386.22
Electric	RML	275.52	275.52	285.36	297.66	305.04	302.58	312.42	322.26	322.26	344.40	354.24	351.78	356.70	386.22
	DML	275.52	275.52	285.36	297.66	305.04	302.58	312.42	322.26	322.26	344.40	354.24	351.78	356.70	386.22
Manual operation	RFL	118.08	118.08	127.92	140.22	147.60	145.14	154.98	164.82	164.82	186.96	196.80	194.34	199.26	228.78
	DKL K sizes, e.g. MK04	118.08	118.08	127.92	140.22	147.60	145.14	154.98	164.82	164.82	186.96	196.80	194.34	199.26	228.78
	DKL Non K sizes, e.g. M04	105.78	105.78	113.16	125.46	132.84	130.38	140.22	150.06	147.60	167.28	177.12	174.66	179.58	204.18
	DFD	154.98	154.98	164.82	182.04	194.34	186.96	201.72	216.48	214.02	241.08	255.84	250.92	258.30	295.20

To order the blind with white side rails, simply add WL to the end of your product code.

All prices in EUR (€)  
Price shown is incl. VAT.




## Blackout energy pleated blind

VELUX Blackout energy pleated blinds provide both blackout and insulation, perfect for bedrooms that need blackout at night and extra insulation. Adjust the blind from the top or the bottom\* to let in exactly the right amount of light.

- When installed, the blind can reduce window heat loss by up to 21%\*\* for increased comfort.
- Blackout for a great night's sleep or a nap during the day.
- Insulation for increased comfort during colder months.
- A flying blind design that can be placed anywhere on the roof window.\*
- Upgrade to a solar or electric blind to enjoy complete light-control at your fingertips.
- Available with white or brushed aluminium side rails.
- Combine your manual blind with a manual Anti-heat blind and save 10%. Read more on page 12.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

### Colour options

#### Standard colours



#### Trend colours



### ✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

### 🏠 Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

### Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
		□	□	□	□	□	□	□	□	□	□	□	□	□	□
☀ Solar FSC	Standard	290.28	290.28	300.12	314.88	324.72	319.80	334.56	344.40	344.40	369.00	381.30	376.38	381.30	415.74
	Trend	312.42	312.42	322.26	339.48	351.78	344.40	359.16	373.92	371.46	398.52	413.28	408.36	415.74	452.64
⚡ Electric FMC	Standard	290.28	290.28	300.12	314.88	324.72	319.80	334.56	344.40	344.40	369.00	381.30	376.38	381.30	415.74
	Trend	312.42	312.42	322.26	339.48	351.78	344.40	359.16	373.92	371.46	398.52	413.28	408.36	415.74	452.64
👐 Manual FHC	Standard	132.84	132.84	142.68	157.44	167.28	162.36	177.12	186.96	186.96	211.56	223.86	218.94	223.86	258.30
	Trend	154.98	154.98	164.82	182.04	194.34	186.96	201.72	216.48	214.02	241.08	255.84	250.92	258.30	295.20

KUX 110 control system is needed if you install an FMC into a manually operated VELUX roof window.

To order the blind with white side rails, simply add WL to the end of your product code.

\* Manual version only.


\*\* Thermal insulation percentage is based on the blind installed on a triple-glazed roof window (IGU66SG).

All prices in EUR (€)  
Price shown is incl. VAT.




### Colour options

#### Standard colours



#### Trend colours



## Translucent roller blind

VELUX Translucent roller blinds provide privacy whilst still allowing in natural light. Perfect for living rooms, offices and playrooms.

- Softens incoming light and provides privacy.
- Upgrade to a solar or electric blind to enjoy complete light control at the touch of a button.
- Available with white or brushed aluminium side rails.
- Combine your manual blind with a manual Anti-heat blind and save 10%. Read more on page 12.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

### ✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

### 🏠 Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

### Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
		□	□	□	□	□	□	□	□	□	□	□	□	□	□
☀️ Solar RSL	Standard	260.76	260.76	268.14	277.98	287.82	282.90	292.74	302.58	300.12	319.80	329.64	324.72	329.64	356.70
	Trend	275.52	275.52	285.36	297.66	305.04	302.58	312.42	322.26	322.26	344.40	354.24	351.78	356.70	386.22
🔌 Electric RML	Standard	260.76	260.76	268.14	277.98	287.82	282.90	292.74	302.58	300.12	319.80	329.64	324.72	329.64	356.70
	Trend	275.52	275.52	285.36	297.66	305.04	302.58	312.42	322.26	322.26	344.40	354.24	351.78	356.70	386.22
👐 Manual RFL	Standard	103.32	103.32	110.70	120.54	130.38	125.46	135.30	145.14	142.68	162.36	172.20	167.28	172.20	199.26
	Trend	118.08	118.08	127.92	140.22	147.60	145.14	154.98	164.82	164.82	186.96	196.80	194.34	199.26	228.78

KUX 110 control system is needed if you install an RML into a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.


All prices in EUR (€)  
Price shown is incl. VAT.





## Colour options

### Standard colours




1016 1274 1259 1282


### Trend colours



1276 1277 1278 1279



1280 1281 1256 1275



1283 1284 1285 1286

### ✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

### 📶 Remotes and Apps

- Easily control your VELUX solar and electric products with our remote controls or apps

Read more on page 20.

### Certifications

- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet

## Translucent pleated blind

The VELUX Translucent pleated blind is a decorative solution that provides privacy whilst diffusing soft natural light into your room. Adjust the blind from the top or the bottom\* to let in exactly the right amount of light.


- Softens incoming light and provides privacy.
- A flying blind design that can be placed anywhere on the roof window.\*
- Upgrade to a solar or electric blind to enjoy complete light control at the touch of a button.
- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Most sold window sizes		CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08
Sizes (w×h) cm		55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140
		□	□	□	□	□	□	□	□	□	□	□	□	□	□
Solar FSL	Standard	275.52	275.52	285.36	297.66	305.04	302.58	312.42	322.26	322.26	344.40	354.24	351.78	356.70	386.22
	Trend	-	292.74	302.58	317.34	327.18	322.26	337.02	349.32	346.86	371.46	383.76	378.84	386.22	420.66
Electric FML	Standard	275.52	275.52	285.36	297.66	305.04	302.58	312.42	322.26	322.26	344.40	354.24	351.78	356.70	386.22
	Trend	-	292.74	302.58	317.34	327.18	322.26	337.02	349.32	346.86	371.46	383.76	378.84	386.22	420.66
Manual FHL	Standard	118.08	118.08	127.92	140.22	147.60	145.14	154.98	164.82	164.82	186.96	196.80	194.34	199.26	228.78
	Trend	-	135.30	145.14	159.90	169.74	164.82	179.58	191.88	189.42	214.02	226.32	221.40	228.78	263.22

KUX 110 control system is needed if you install an FML into a manually operated VELUX roof window. To order the blind with white side rails, simply add WL to the end of your product code.  
\* Manual version only.


All prices in EUR (€)  
Price shown is incl. VAT.





### Colour options

#### Standard colour



7001

7057

#### ✓ Installation – it just clicks

- Click on the blind. Add side rails. That's it. Original VELUX blinds are tailored to your roof window, making installation fast and easy.

#### Details



Unique and discreet tilt mechanism makes it very easy to tilt the slats

## Venetian blind


This classic solution for light dimming and privacy is perfect for bathrooms and kitchens. It is moisture-resistant and easy to clean.

- Preserves your view while providing privacy.
- Cordless operation.
- Available with white or brushed aluminium side rails.
- Combine with an exterior Anti-heat blind or shutter for effective heat protection. Read more on page 24.
- Combine with an Insect screen to enjoy fresh air without unwanted visitors. Read more on page 45.

Most sold window sizes	CK01 C01	CK02 C02	CK04 C04	CK06 C06	FK06 F06	MK04 M04	MK06 M06	MK08 M08	PK04 P04	PK08 P08	PK10 P10	SK06 S06	UK04 U04	UK08 U08	
Sizes (w×h) cm	55×70	55×78	55×98	55×118	66×118	78×98	78×118	78×140	94×98	94×140	94×160	114×118	134×98	134×140	
Manual PAL	Standard	132.84	132.84	142.68	157.44	167.28	162.36	177.12	186.96	186.96	211.56	223.86	218.94	223.86	258.30

To order the blind with white side rails, simply add WL to the end of your product code.


All prices in EUR (€)  
Price shown is incl. VAT.



## Insect screen

Enjoy fresh air without unwanted visitors with a VELUX Insect screen. The screen is simple to operate and can be combined with any other VELUX interior or exterior blind. It has transparent net fabric and stows neatly away in the slim top casing when not in use.

- 100% insect-proof material.
- Transparent net fabric does not obstruct your view.
- Durable, wind-resistant fabric for long-lasting performance.
- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard.
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet.
- The screen can be combined with any other VELUX interior or exterior blind.



#### Determine the correct size

- Measure the inner wall width (A) and height (B) to find the size code and price of your insect screen in the table below
- If you have two heights (B) or heights above 2400 mm – two insect screens and one connector set ZOZ 157 SWL are needed.
- **IMPORTANT:** Insect screen size codes may differ from window size code, please measure (A) and (B) and find correct size code in the table below before ordering

#### Installation


- Quick and easy installation

	0-438mm	439-530mm	531-640mm	641-760mm	761-922mm	923-1120mm	1121-1285mm
0-1600mm	ZIL BK04 154.98	ZIL CK02 143.91	ZIL FK08 189.42	ZIL MK06 189.42	ZIL PK25 231.24	ZIL SK06 234.93	ZIL UK04 242.31
1601-2000mm	SPECIAL ORDER	ZIL CK06 170.97	ZIL FK08 189.42	ZIL MK06 189.42	ZIL PK06 207.87	ZIL SK06 234.93	ZIL UK10 291.51
2001-2400mm	SPECIAL ORDER	SPECIAL ORDER	ZIL FK08 189.42	ZIL MK10 226.32	ZIL PK10 241.08	ZIL SK10 274.29	ZIL UK10 291.51

All prices in EUR (€)  
Price shown is incl. VAT.




Anti-heat blind (MSU)




5070




Blackout blind (DSU)



4550



Insect screen (ZIU)



0000

## Blinds for curved and flat glass rooflights

### Anti-heat blind

The Anti-heat blind provides light dimming and heat protection to maintain a cool and comfortable room. The blind is discreetly placed inside the rooflight, and is easily installed from the roof when installing the rooflight.

- Reduces overheating.
- Semi-transparent fabric for light control and sky view.
- Solar-powered blind with remote control.
- Not compatible with Blackout blind.

### Blackout blind

VELUX Blackout blind for glass rooflights blocks outside light anytime and is perfect for bedrooms. It is discreetly placed inside the rooflight and easily installed from the roof when installing the rooflight.

- Perfect sleep – day or night.
- 99.9% blackout.
- Great for bedrooms and media rooms.
- Solar-powered blind with remote control.
- Not compatible with Anti-heat blind.

### Insect screen

VELUX Insect screen for glass rooflights lets you enjoy fresh air and a view to the sky without the distraction of insects. It comes in a contemporary white design and is easy to install and simple to remove for cleaning.

- Fresh air and 100% insect-proof.
- Durable, transparent net fabric does not obstruct your view.
- Can be combined with an Anti-heat blind or a Blackout blind.



Blinds are placed inside the rooflight and mounting is therefore most convenient during the rooflight installation process.

Roof window size (wxh) cm		060060	080080	090060	090090	100100	120090	120120	150080	150100	150120	150150	200060	200100
		60x60	80x80	90x60	90x90	100x100	120x90	120x120	150x80	150x100	150x120	150x150	200x60	200x100
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Solar MSU	Anti-heat blind	517.83	541.20	530.13	552.27	563.34	591.63	613.77	580.56	619.92	642.06	703.56	630.99	738.00
Solar DSU	Blackout blind	517.83	541.20	530.13	552.27	563.34	591.63	613.77	580.56	619.92	642.06	703.56	630.99	738.00
Manual ZIU	Insect screen	120.54	125.46	123.00	127.92	130.38	136.53	142.68	134.07	143.91	148.83	163.59	146.37	170.97

Solar MSU and DSU can be combined with our remotes and apps solutions for multiple product operation, scheduling and automation.

All prices in EUR (€)  
Price shown is incl. VAT.




Anti-heat blind

The VELUX Anti-heat blind provides light dimming and heat protection so your indoor temperature stays cool and comfortable. This makes it perfect for living rooms with activity during the day.

6090



Blackout energy pleated blind



1045

1047

## Blinds for standard glass rooflights and domes with glazing\*

### Anti-heat blind\*\*

The VELUX Anti-heat blind provides light dimming and heat protection so your indoor temperature stays cool and comfortable. This makes it perfect for living rooms with activity during the day.

- Reduces solar heating.
- Semi-transparent fabric lets in natural light.
- Available in solar powered operation with app and remote control.

### Blackout energy pleated blind

The VELUX blackout energy pleated blind for flat roof windows darkens the room and protects against cold. This makes it the ideal choice for bedrooms and living rooms.

- Blackout and insulating effect.
- Available in solar-powered and electric operation with app and remote control.
- OEKO-TEX® STANDARD 100 (1076-184) – The original safety standard.
- OEKO-TEX® STeP (22002567) – Responsible production for people and planet.

\*Also compatible with Curved top unit (ISD 1093) and Flat top unit (ISD 2093) for roof windows CFP/CVP bought before July 2021. Solar-powered blinds are not compatible with opaque dome with glazing variants.

\*\*Anti-heat blind not compatible with flat glass top unit ISD 2093 for roof windows CFP/CVP.



		060060	060090	080080	090090	100100	090120	120120	100150	150150	
Roof window size (w x h) cm		60x60	60x90	80x80	90x90	100x100	90x120	120x120	100x150	150x150	
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Solar MSG	Anti-heat blind	425.58	435.42	444.03	453.87	457.56	471.09	480.93	489.54	-
	Solar FSK	Blackout energy pleated blind	419.43	429.27	437.88	447.72	451.41	464.94	474.78	483.39	569.49
	Electric FMK	Blackout energy pleated blind	391.14	399.75	407.13	415.74	420.66	432.96	441.57	450.18	530.13

Solar MSG is not compatible with ISD 2093. Solar MSG and FSK and electric FMK can be combined with our remotes and apps solutions for multiple product operation, scheduling and automation.

All prices in EUR (€)  
Price shown is incl. VAT.

# Order your new VELUX blind or shutter in five easy steps

1

## Locate your roof window type and size

Find your roof window type and size by checking the type sign placed either on the left or right side of the roof window frame when it is open.

See picture below for placement of type sign.

2

## Select blind or shutter type

Decide on the type of blind or shutter: blackout, light adjustment, heat protection, etc.

3

## Select operation

Select solar, electric or manual operation, depending on the placement and type of roof window.

4

## Select colour

Each of our blind colours has its own colour code, which you can see on the respective blind pages.

You can order free fabric samples at [veluxshop.ie](http://veluxshop.ie)

Please note: Precise colour may vary from the printed samples.

5


## Place your order

Order on [veluxshop.ie](http://veluxshop.ie) or by speaking to one of our dealers or a customer service representative.



From 2012	
1998-2011	
1992-1998	
Before 1992	

## Extras for your blinds and shutters



### Rod control

ZCZ 080  
80cm

€22.14

ZCT 200 telescopic  
100-180cm

€47.97

The rod makes it easy to operate out-of-reach manual blinds.



### Rod adaptor

ZOZ 085

€13.53

Adaptor for manual blinds with control bars supports easy operation with the rod.




### Mounting brackets

ZOZ 230

€9.84

For installation of blinds on older VELUX roof windows without pre-installed mounting brackets.



### Installation kit

ZOZ 238

€40.59

For installation of Anti-heat blackout blinds and electric Anti-heat blinds (SSS, MSL or MML) on VELUX roof windows from before 2001.



### Installation kit

ZOZ 229S

€67.65

For installation of Anti-heat blackout blinds and electric Anti-heat blinds (SSS, MSL or MML) on VELUX electric top-hung roof windows.



### Dual solar switch

ZOZ 246

€86.10

Dual solar switch allows charging of both shutters and Anti-heat blinds on solar-powered VELUX roof windows. Dual solar switch is required if the shutter or Anti-heat blind is size C or F and installed on a solar-powered VELUX roof window.

## Customer service

Could you use some advice when selecting your blind, or do you have a question about a particular product? Whatever your question, we're here to help and strive to respond promptly to all requests.




[velux.ie](http://velux.ie)  
**01 816 1620**  
[sales@velux.ie](mailto:sales@velux.ie)

VELUX Company Ltd  
Regus Santry  
Block B  
The Crescent Building  
Santry  
Dublin  
DO9 C6X8  
Ireland

Tel: 01 816 1620

Email: [sales@velux.ie](mailto:sales@velux.ie)

Website: [velux.ie](http://velux.ie)

-  [facebook.com/VELUXGBI](https://facebook.com/VELUXGBI)
-  [pinterest.com/VELUXGBI](https://pinterest.com/VELUXGBI)
-  [instagram.com/veluxpro\\_gbi](https://instagram.com/veluxpro_gbi)

